

# Montessori Methods for Dementia™

## REFERENCES

Updated June 2013

Prepared by: Gail Elliot, BAsC, MA

- Albert, N., Wocial, L., Meryer, K., Na., J., Trochelman, K, (2008) Impact of nurses' uniforms on patient and family perceptions of nurse professionalism, ScienceDirect, Applied Nursing Research, 21 (2008) 181 – 190.
- Algase, D., Son, G.-R., Beel-Bates, C., Song, J., Yao, L., Beattie, E., et al. (2007). Initial Psychometric Evaluation of the Wayfinding Effectiveness Scale. *Western Journal of Nursing Research*, 1015-1032.
- Allcroft, K. & Loiseil, L. (Eds) (2005) Managing and accommodating responsive behaviours in dementia care: A resource guide for long-term care. University of Waterloo, Waterloo.
- Allen-Burge, R., Burgio, L. D., Bourgeois, M. S., Sims, R., & Nunnikhoven,(1999) J. Increasing communication among nursing home residents. *Journal of Clinical Geropsychology*, 7(3), 213-230.
- Allen-Burge, R., Stevens, A. B., & Burgio, L. D. (2001) Effective behavioral interventions for decreasing dementia-related challenging behavior in nursing homes. *International Journal of Geriatric Psychiatry*, 14(3), 213-228.
- Arrowsmith-Young, B. (2012). *The Woman Who Changed Her Brain*. New York: Free Press.
- Aronson, M. Does excessive television viewing contribute to the development of dementia? *Medical Hypotheses*, 41(5), 465-466.
- Ashford, J., & Bayley, P. (2013). Retrogenesis: A Model of Dementia Progression in Alzheimer's Disease Related to Neuroplasticity. *Journal of Alzheimer's Disease*, Vol. 33, 1191-1193.
- Ballard, C., O'Brien, J., James, I., Mynt, P., Lana, M., Potkins, D., Reichelt, K., Lee, L., Swann, A., & Fossey, J. Quality of life for people with dementia living in residential and nursing home care: The impact of performance on activities of daily living, behavioral and psychological symptoms, language skills, and psychotropic drugs. *International Psychogeriatrics*, 13(1), 93-106.
- Bourgeois, M. S. (1991). Communication treatment for adults with dementia. *Journal of Speech and Hearing Research*, 34, 831-844.
- Bourgeois, M., (2007) Memory Books and Other Graphic Cuing Systems: Practical Communication and Memory Aids for Adults with Dementia, New York: Health Professions Press, Brookes.
- Bourgeois, M., Burgio, L., Schulz, R., Beach, S., & Palmer, B. (1997). Modifying repetitive verbalization of community dwelling patients with AD. *The Gerontologist*, 37, 30-39.
- Bourgeois, M., Hickey, E., (2009) Dementia: From Diagnosis to Management – A Functional Approach, Psychology Press, New York.
- Bourgeois, M., & Mason, L. A. (1996). Memory wallet intervention in an adult day care setting. *Behavioral Interventions: Theory and Practice in Residential and Community-based Clinical Programs*, 11, 3-18.
- Brod, M., Stewart, A. L., Sands, L., & Walton, P. (1999). Conceptualization and measurement of quality of life in dementia: The dementia quality of life instrument (DQoL). *The Gerontologist*, 39(1), 25-36. doi:10.1093/geront/39.1.25

- Brawley, E. (2001). Environmental design for Alzheimer's disease: A quality of life issue. *Aging & Mental Health*, 79-83.
- Brush, J.A. & Camp, C. J. (1999). Effective interventions for persons with dementia: Using spaced retrieval and Montessori techniques. *Neurophysiology and Neurogenic Speech and Language Disorders*, 9(4), 27-32.
- Brush, J. A. & Camp, C. J. (1998). Using spaced retrieval as an intervention during speech-language therapy. *Clinical Gerontologist*, 19(1), 51.
- Buettner, L., Kernan, B., Carroll, G. (1990). Therapeutic recreation for frail elderly: A new approach. *Global Therapeutic Recreation I*. 1, 82-88.
- Buettner, L. L., Lundegren, H., Lago, D., Farrell, P., & Smith, R. (1996). Therapeutic recreation as an intervention for persons with dementia and agitation: An efficacy study. *American Journal of Alzheimer's Disease and Other Dementias*, 11(5), 4-12. doi:10.1177/153331759601100503
- Camp, C. J. (2001). From efficacy to effectiveness to diffusion: Making the transitions in dementia intervention research. *Neuropsychological Rehabilitation*, 11, 495-517.
- Camp, C. J., Foss, J. W., O'Hanlon, A. M., & Stevens, A. B. Memory interventions for persons with dementia. *Applied Cognitive Psychology*, 10(3), 193-210.
- Camp, C.J., Orsulic-Jeras., Lee, M. M. & Judge, K. S. (2004). Effects of a Montessori-based intergenerational program on engagement and affect for adult day care clients with dementia. In M. L. Wykle, P. J. Whitehouse, & D. L. Morris (Eds.), *Successful aging through the life span: Intergenerational issues in health*. (pp. 159-176) New York: Springer.
- Camp, Cameron J., Cohen-Mansfield, Jiska & Capezuti, Elizabeth A. Mental Health Services in Nursing Homes: Use of Nonpharmacologic Interventions Among Nursing Home Residents With Dementia. *Psychiatr Serv* 2002 53: 1397-1404
- Camp, C.J. (1989). Facilitation of new learning in Alzheimer's disease. In G.C. Gilmore, P.J. Whitehouse, & M.L. Wykle (Eds.), *Memory, aging, and dementia* (pp.212-225). New York: Springer.
- Camp, C.J. (1999). Memory interventions for normal and pathological older adults. In: Schulz R, Maddox, G., Lawton, M. (Eds.). *Annual Review of Gerontology and Geriatrics*. Volume 18. New York: Springer publishing Company, 155-189.
- Camp, C.J. (Ed.) (1999a). *Montessori-based activities for persons with dementia: Volume 1*. Beachwood, OH: Menorah Park Center for Senior Living.
- Camp, C.J. (1999b). Memory interventions for normal and pathological older adults. In R. Schulz, M.P. Lawton, & G. Maddox, (Eds.), *Annual review of gerontology and geriatrics* (Vol. 18, pp.155-189). New York: Springer.
- Camp, C.J. (2000). Clinical research in long-term care settings: What the future holds. In V. Molinari (Ed.), *Professional issues in long-term care*. New York: Hatherleigh.
- Camp, C.J., Bird, M.J., & Cherry, K.E. (2000). Retrieval strategies as a rehabilitation aid for cognitive loss in pathological aging. In R.D. Hill, L. Bäckman, & A.S. Neely (Eds.), *Cognitive rehabilitation in old age* (pp.224-248). New York: Oxford University Press.
- Camp, C.J., & Foss, J.W. (1997). Designing ecologically valid memory interventions for persons with dementia. In D.G. Payne & F.G. Conrad (Eds.), *Intersections in basic and applied memory research* (pp.311-325). Mahwah, NJ: Lawrence Erlbaum Associates Inc.
- Camp, C., Foss, J., Stevens, A., O'Hanlon, A. (1995) Improving prospective memory task performance in persons with Alzheimer's disease. In M. McDaniel and G. Einstein (Eds.), *Prospective memory: Theory and applications*.

Hillsdale, NJ: Lawrence Erlbaum.

- Camp, C.J., Foss, J.W., O'Hanlon, A.M., & Stevens, A.B. (1996a). Memory interventions for persons with dementia. *Applied Cognitive Psychology, 10*, 193-210.
- Camp, C.J., Foss, J.W., Stevens, A.B., & O'Hanlon, A.M. (1996b). Improving prospective memory task performance in Alzheimer's disease. In M.A. Brandimonte, G.O. Einstein, & M.A. McDaniel (Eds.), *Prospective memory: Theory and Applications* (pp.351-367). Mahwah, NJ: Lawrence Erlbaum Associates Inc.
- Camp, C.J., Judge, K.S., Bye, C.A., et al. (1997). An inter-generational program for persons with dementia using Montessori methods. *The Gerontologist, 37*, 688-692.
- Camp, C.J., Judge, K.S., Bye, C.A., Fox, K.M., Bowden, J., Bell, M., Valencic, K., & Mattern, J.M. (1997). An intergenerational program for persons with dementia using Montessori methods. *Gerontologist, 37*, 688-692.
- Camp, C.J., Foss, E., & Judge, K.S. (1999). Cognitive assessment in late stage dementia. In P.A. Lichtenberg (Ed.), *Handbook of assessment in clinical gerontology* (pp.442-467). New York: John Wiley & Sons.
- Camp, C.J., & Mattern, J.M. (1999). Innovations in managing Alzheimer's disease. In D.E. Biegel & A. Blum (Eds.), *Innovations in practice and service delivery across the lifespan* (pp.276-294). New York: Oxford University Press.
- Camp, C., J., & Nasser, E., (2003) "Nonpharmacological aspects of agitation and behavioural disorders in dementia: Assessment, intervention and challenges to providing care" in Lichtenberg, P.A. Murman, D., L., and Mellow, A. M., (Editors) *Handbook of dementia: Psychological, neurological, and psychiatric perspectives* (pp. 359 -401) New York, John Wiley and Sons.
- Camp CJ, Skrajner MJ. Resident-Assisted Montessori Programming (RAMP): Training persons with dementia to serve as group activity leaders. *Gerontologist. 2004;44*: 426-431
- Camp CJ, Skrajner MJ, Kelly M. (2005) Early stage dementia client as group leader. *Clinical Gerontologist. 2005;28*: 81-85.
- Caregiving Strategies for Older Adults with Delirium, Dementia and Depression, Nursing Best Practice Guideline, RNAO, June 2004.
- Charness, N., & Holley, P. (2001). Human factors and environmental support in Alzheimer's disease. *Aging & Mental Health, 65-73*.
- Cioffi, J., Fleming, A., Wilkes, L., Sinfield, M., & Le Miere, J. (2007). The effect of environmental change on residents with dementia. *Dementia, 215-231*.
- Cherry, K. E., Simmons, S. S., & Camp, C. J. Spaced retrieval enhances memory in older adults with probable Alzheimer's disease. *Journal of Clinical Geropsychology, 05(3)*, 159-175.
- Cherry, K. E., & Simmons-D'Gerolamo, S. S. (2005). Long-term effectiveness of spaced-retrieval memory training for older adults with probable Alzheimer's disease. *Experimental Aging Research: An International Journal Devoted to the Scientific Study of the Aging Process, 31(3)*, 261.
- Cohen-Mansfield, J., & Werner, P. (1998). The effects of an enhanced environment on nursing home residents who pace. *Gerontologist, 38(2)*, 199-208.
- Cohen-Mansfield, J., & Werner, P. (1994). Verbally disruptive behaviours in elderly persons: A review. In B. J. Vellas, J. L. Albarede, P. J. Garry, & L. J. Fitten (Eds.), *Facts and research in gerontology: Dementia and cognitive impairments* (pp. 73-91). Toulouse, France: Serdi.

- Cohen-Mansfield, J., Werner, P., & Marx, M. S. (1990). Screaming in nursing home residents. *Journal of the American Geriatrics Society*, 38, 785-792.
- Davis, R., Therrien, B., & West, B. (2009). Working Memory, Cues, and Wayfinding in Older Women. *Journal of Applied Gerontology*, 743-767.
- Davis, S., Byers, S., Nay, R., & Koch, S. (2009). Guiding design of dementia friendly environments in residential care settings. *Dementia*, 185-203.
- Dawson, P, Wells, D., Kline, K., (1993) *Enhancing the Abilities of Persons with Alzheimer's and Related Dementias: A Nursing Perspective*: New York: Springer Publishing Co.
- Dawson, P., Wells, D.L., Reid, S., Sadini, S., (1998) "An abilities assessment instrument for elderly persons with cognitive impairment: psychometric properties and clinical utility. *Journal of Nursing Measurement*, Summer; 6(1): 35-54.
- Doidge, N. (2007). *The Brain that Changes Itself*. London: Penguin Books.
- Dupuis, S.L., & Wiersma, E. (2008, Fall). *Meanings of Responsive Behaviours: Staff Member's Perspectives and Experiences*. Final report prepared for the Alzheimer Society of Canada and the Canadian Nursing Foundation. Waterloo, ON: Murray Alzheimer Research and Education Program. 150 pp.
- Fazio, S., Chavin, M., and Clair, A (1999). Activity based Alzheimer care: A national training program, *American Journal of Alzheimer's Disease*, 14(3), 149 – 156.
- Fisher, D., & Frey, N. (2010). Reading and the Brain: What Early Childhood Educators Need to Know. *Early Childhood Education*, 103-110.
- Fleming, R., Forbes, I., & Bennet, K. (2003). *Adapting the Ward: for people with dementia*. Sydney, Australia: The Hammond Care Group.
- Foreman, M. D., Fletcher, K., Mion, L. C., Simon, L., & Niche, F. Assessing cognitive function. *Geriatric Nursing*, 17(5), 228-232.
- Gitlin, L., Schinfeld, S., Winter, L., Corcoran, M., Boyce, A., & Hauck, W. (2002). Evaluating home environments of persons with dementia: interrater reliability and validity of the Home Environmental Assessment Protocol. *Disability and Rehabilitation*, 59-71.
- Gitlin, L., Schinfeld, S., Winter, L., Corcoran, M., Boyce, A., & Hauck, W. (2002). Evaluating home environments of persons with dementia: interrater reliability and validity of the Home Environmental Assessment Protocol. *Disability and Rehabilitation*, 59-71.
- Gitlin, L. N., Winter, L., Vause Earland, T., Adel Herge, E., Chernet, N. L., Piersol, C. V., & Burke, J. P. (2009). The tailored activity program to reduce behavioral symptoms in individuals with dementia: Feasibility, acceptability, and replication potential. *The Gerontologist*, doi:10.1093/geront/gnp087
- Glosser, G., Grossman, M., & Noble, K. (2000). Oral Reading in Dementia. *Department of Neurology, University of Pennsylvania*, 48-69.
- Head, D., & Isom, M. (2010). Age effects on wayfinding and route learning skills. *Behavioural Brain Research*, 49-58.
- Helen, C., R. (1998) Alzheimer's disease: Activity focused care. Boston: Butterworth-Heinemann.
- Helen, C. R. (2001) Activities: The "old" and "new" culture. *Alzheimer's Disease Quarterly* 2(3), 57-58

- Heuninckx, S., Wenderoth, N., & Swinnen, S. (2008). Systems Neuroplasticity in the Aging Brain: Recruiting Additional Neural Resources for Successful Motor Performance in Elderly Persons. *The Journal of Neuroscience*, Vol. 28, 91-99.
- Hochhalter, A. K., Bakke, B. L., Holub, R. J., & Overmier, J. B. (2004). Adjusted spaced retrieval training -- A demonstration and initial test of why it is effective. *Clinical Gerontologist*, 27(1), 159.
- Hochhalter, A. K., Overmier, J. B., Gasper, S. M., Bakke, B. L., & Holub, R. J. (2005). A Comparison of Spaced Retrieval to Other Schedules of Practice for People with Dementia. *Experimental Aging Research: An International Journal Devoted to the Scientific Study of the Aging Process*, 31(2), 101.
- Jarrott, S. E., Gozali, T., & Gigliotti, C. M. (2008). Montessori programming for persons with dementia in the group setting: An analysis of engagement and affect. *Dementia*, 7(1), 109-125. doi:10.1177/1471301207085370
- Joltin, A., Camp, C., Noble, R., Antenucci, V., (2005) A Different Visit, Myers Research Institute, Menorah Park Center for Senior Living, Beachwood, OH.
- Judge, K. S., Camp, C. J., & Orsulic-Jeras, S. (2000). Use of Montessori-based activities for clients with dementia in adult day care: Effects on engagement. *American Journal of Alzheimer's Disease*, 15, 42-46.
- Kincaid, C., & Peacock, J. R. (2003). The Effect of a Wall Mural on Decreasing Four Types of Door-Testing Behaviours. *Journal of Applied Gerontology*, 76-88.
- Kitwood, T., (2004) *Dementia Reconsidered; the person comes first*, Open University Press, McGraw-Hill Education, United Kingdom.
- Kovach, C. R., & Magliocco, J. S. (1998). Late-stage dementia and participation in therapeutic activities. *Applied Nursing Research*, 11(4), 167-173
- Kovack, Christine, Wells, Thelma (2002) Pacing of Activity as a predictor of agitation for person with dementia in acute care" *Journal of Gerontological nursing*, January 2002.
- Laurenhue, K. (2003). *Research that nurtures. (resource review and reflections)*
- Lewis, M., & Trzinski, A., (2006) Counseling Older Adults with Dementia who are Dealing with Death: Innovative Approaches for the Practitioner, *Death Studies*, 30; 777 – 787.
- Malone, M. L., & Camp, C. J. (2007). Montessori-based dementia programming[R]: Providing tools for engagement, *Dementia*, Special Section on Long-Term Care February 1, 2007, 6(1), 150-157. Marquardt, G., & Schmiege, P. (2009). Dementia-Friendly Architecture: Environments That Facilitate Wayfinding in Nursing Homes. *American Journal of Alzheimer's Disease & Other Dementias*, 333-340.
- Marquardt, G., Johnston, D., Black, B., Morrison, A., Rosenblatt, A., Lyketsos, C., et al. (2011). Association of the Spatial Layout of the Home and ADL Abilities Among Older Adults With Dementia. *American Journal of Alzheimer's Disease & Other Dementias*, 51-57.
- Montessori, M. (1914). *Dr. Montessori's Own Handbook*, New York, Frederick A. Stokes Company.
- Montessori, M. (1948) *The Discovery of the Child*, Adyar, Kalakshetra Publications.
- Mowszowski, L., Batchelor, J., & Naismith, S. (2010). Early intervention for cognitive decline: can cognitive training be used as a selective prevention technique? *International Psychogeriatrics*, Vol. 22:4 , 537-548.

- Onor, M. L. Trevisiol, M. Negro, C. Alessandra, S. Saina, M and. Aguglia E (2007) **Impact of a Multimodal Rehabilitative Intervention on Demented Patients and Their Caregivers**, American Journal of Alzheimer's Disease and Other Dementias, September 1, 2007; 22(4): 261 - 272.
- Ontario Ministry of Health and Long-term Care. (n.d.). Ontario's Strategy for Alzheimer Disease and Related Dementias: Preparing for our Future. Retrieved November 18, 2009 from <[http://www.health.gov.on.ca/english/public/pub/ministry\\_reports/alz/summary.html](http://www.health.gov.on.ca/english/public/pub/ministry_reports/alz/summary.html)>
- Orsulic-Jeras, S., Schneider, N. M., Camp, C. J., Nicholson, P., & Helbig, M. (2001). Montessori-based dementia activities in long-term care: Training and implementation. *Activities, Adaptation, and Aging*, 25, 107-120.
- Orsulic-Jeras, S., Schneider, N. M., Camp, C. J. (2000). Montessori-based activities for long-term care residents with dementia: Outcomes and implications for geriatric rehabilitation. *Topics in Geriatric Rehabilitation*, 16, 78-91.
- Orsulic-Jeras, S., Judge, K. S., & Camp, C. J. (2000). Montessori-based activities for long-term care residents with advanced dementia: Effects on engagement and affect. *The Gerontologist*, 40, 107-111.
- Proctor, R., Burns, A., Powell, H. S., Tarrier, N., Faragher, B., Richardson, G., Davies, L., & South, B. Behavioural management in nursing and residential homes: A randomised controlled trial. *The Lancet*, 354(9172), 26-29.
- Rose, M. S., Camp, C. J., Skrajner, M. J., & Gorzelle, G. J. (2003). Enhancing the quality of nursing home visits with Montessori-based activities. *Activities Directors' Quarterly*, 3, 4-10.
- Saunders, M. N. (1996). The physiology of boredom, depression and senile dementia. *Medical Hypotheses*, 46(5), 463-466. doi: 10.1016/S0306-9877(96)90026-2
- Schindel-Martin, L., Morden, P., Cetinski, G., Lasky, N., McDowell, C., & Roberts, J. Teaching staff to respond effectively to cognitively impaired residents who display self-protective behaviors. *American Journal of Alzheimer's Disease and Other Dementias*, 18(5), 273-281.
- Schneider, N. M., Camp, C. J. (2002). Use of Montessori-based activities by visitors or nursing home residents with dementia. *Clinical Gerontologist*, 26, 71-84.
- Speziale, J., Black, E., Coatsworth-Puspoky, R., Ross, T., & O'Regan, T. (2009). Moving Forward: Evaluating a Curriculum for Managing Responsive Behaviors in a Geriatric Psychiatry Inpatient Population. *The Gerontologist*, 49(4), 570-576. Retrieved November 18, 2009, from ProQuest Nursing & Allied Health Source. (Document ID: 1805175261).
- Skrajner, M. J. and Camp, C. J. (2007) Resident-Assisted Montessori Programming (RAMPTM): Use of a Small Group Reading Activity Run by Persons With Dementia in Adult Day Health Care and Long-Term Care Settings, American Journal of Alzheimer's Disease and Other Dementias, February 1, 2007; 22(1): 27 - 36.
- Squire, L. R. (1994). Declarative and nondeclarative memory: Multiple brain system supporting learning and memory. In D. L. Schacter and E. Tulving (Eds.), *Memory systems 1994* (page 203 – 232). Cambridge, MA: MIT Press.
- Stokes, Maria (1990) *Physical Management in Neurological Rehabilitation*, (2<sup>nd</sup> Edition) Elsevier Limited, Philadelphia, USA.
- Stuss, D., Winocur, G., & Robertson, I. (2008). *Cognitive Neurorehabilitation*. Cambridge: Cambridge University Press.
- Van de Winckel, A., Feys, H., De Weerd, W., & Dom, R. (2004). Cognitive and behavioural effects of music-based exercises in patients with dementia. *Clinical Rehabilitation*, 18(3), 253-260. doi:10.1191/0269215504cr7500a

- Vance, D., Roberson, A., McGuinness, T., & Fazeli, P. (2010). How Neuroplasticity and Cognitive Reserve Protect Cognitive Functioning. *Journal of Psychosocial Nursing, Vol. 48*, 23-30.
- Vance, D. & Johns, R. (2002). Montessori Improved Cognitive Domains in Adults with Alzheimer's Disease. *Physical Occupational Therapy in Geriatrics, 20*(3/4), 19-36.
- Vance, D. & Porter, R. (2000). Montessori Methods Yield Cognitive Gains in Alzheimer's Day Cares. *Activities, Adaptation, and Aging. 24*(3), 1-22.
- van Hoof, J., Kort, H., Duijnste, M., Rutten, P., & Hensen, J. (2010). The indoor environment and the integrated design of homes for older people with dementia. *Building and Environment, 1244-1261*.
- Volicer, L. (1997) Goals of care in advanced dementia: Comfort, dignity and psychological well-being *American Journal of Alzheimer's disease, 12*, 196-197
- Volicer, L., & Bloom-Charette, L. (1999) Enhancing the quality of life in advanced dementia. Boston: University School of Medicine.
- Wells, D. Dawson, P., (2002) "A Framework for Developing Nursing Knowledge about the Effects of Dementia on Older Persons", *Journal of Applied Gerontology, Sage, 2002;21;90*
- Wojtowicz, J. (2008). Neurogenesis-based regeneration and cognitive therapy in the adult brain. Is it feasible? In D. Stuss, G. Winocur, & I. Robertson, *Cognitive Neurorehabilitation* (pp. 348-359). Cambridge: Cambridge University Press.
- Zeisel, J and Raia, P, (2000) Nonpharmacological treatment for Alzheimers' disease: A mind-brain approach. *American Journal of Alzheimer's Disease and other Dementias, 15*, 331-340

For More Information about Montessori Methods for Dementia™:



[www.dementiability.com](http://www.dementiability.com)

Gail Elliot: [gail.elliott@dementiability.com](mailto:gail.elliott@dementiability.com)